

BC Patient Condition and Diagnosis Descriptions

Obstetrics and Gynecology - Adult (17 years and above on the date of decision)

| Diagnosis Group | BC Diagnosis Code | Diagnosis Description | BC Priority Level | Wait Time Target In Weeks |
|-----------------------|-------------------|---|-------------------|---------------------------|
| Adnexal Mass | 50RDCB | Adnexal Mass - Clinically Malignant | 1 | 2 |
| | 50RDCC | Adnexal Mass - Suspected Malignancy | 2 | 4 |
| | 50RDCE | Adnexal Mass - Malignancy Unlikely | 4 | 12 |
| Cancer Oophorectomy | 50RBAB | Cancer breast oophorectomy adjuvant therapy | 4 | 12 |
| | 50RBCD | Cancer breast therapeutic oophorectomy | 3 | 6 |
| Cancer Ovary | 50RBCC | Cancer ovary borderline | 3 | 6 |
| | 50RDCA | Cancer ovary, fallopian tube or peritoneum | 1 | 2 |
| Cervical Disease | 50RNAB | Cervical lesion requiring diagnostic excision/biopsy | 2 | 4 |
| | 50RNCA | Invasive cancer of the cervix | 1 | 2 |
| | 50RNCB | Cancer of the cervix after XRT | 4 | 12 |
| | 50RNCD | Cancer cervix CIS (not completely excised) or microinvasive | 3 | 6 |
| | 50RNCF | Cancer cervix in situ (completely excised on cone/LEEP) | 4 | 12 |
| Cervical Incompetence | 50RNAA | Cervical incompetence | 1 | 2 |
| Endometrial Disease | 50RMCA | Cancer endometrium G3 | 1 | 2 |
| | 50RMCB | Cancer endometrium G1,2 | 2 | 4 |
| | 50RMDA | Endometrial hyperplasia (complex with atypia) | 2 | 4 |
| | 50RMDE | Endometrial hyperplasia (failed medical management) | 4 | 12 |
| | 50RMFE | Incidental/asymptomatic endometrial abnormalities | 4 | 12 |
| | 50RMJB | Retained IUD - not pregnant | 4 | 12 |
| | 50RMMA | Abnormal uterine bleeding high risk of malignancy | 1 | 2 |
| Endometriosis | 50RMEC | Endometriosis, severe, laparoscopically verified, debilitating, requiring narcotics | 3 | 6 |
| | 50RMED | Endometriosis/Endometrioma | 4 | 12 |
| Fibroid | 50RMFB | Fibroids rapidly enlarging post-menopausal | 2 | 4 |
| | 50RMFD | Fibroid | 4 | 12 |
| Gender Dysphoria | 39PZGC | Gender Dysphoria; urgent revisions for urinary complications | 3 | 6 |
| | 35ZZGD | Gender Dysphoria; minor revisions and/or staging procedures | 4 | 12 |
| | 35ZZGE | Gender Dysphoria; primary and/or non-urgent revisions | 5 | 26 |
| Infertility | 50RZAA | Infertility > 35 years old (at time of booking) | 4 | 12 |
| | 50RZAB | Infertility < 35 years old (at time of booking) | 5 | 26 |
| Menorrhagia | 50RMHC | Menorrhagia with severe anemia Hb < 99 | 3 | 6 |
| | 50RMHD | Menorrhagia - severe impact on lifestyle | 4 | 12 |
| | 50RMHE | Menorrhagia - moderate impact on lifestyle | 5 | 26 |
| Other diagnosis | 50NPAA | Temporary stoma - reversal of colostomy/ileostomy | 4 | 12 |
| | 50OTAA | Abdominal foreign body for removal (e.g. IUD) | 5 | 26 |
| | 50RBAA | BRCA 1&2 carrier | 4 | 12 |
| | 50RBCB | Cancer recurrence exenteration | 2 | 4 |
| | 50RFBD | Requested birth control (e.g. tubal ligation) | 5 | 26 |
| | 50RZBD | Mesh erosion | 4 | 12 |

| | | | | |
|-------------------------------|--------|---|---|----|
| Pelvic Floor Disorders | 50NTAA | Fecal incontinence | 3 | 6 |
| Pelvic Organ Prolapse | 50RZBA | Pelvic prolapse - severe - complicated - urinary retention, irreducible | 1 | 2 |
| | 50RZBB | Pelvic prolapse - moderate - interference with lifestyle | 4 | 12 |
| | 50RZBC | Pelvic prolapse - mild - interference with lifestyle | 5 | 26 |



| Diagnosis Group | BC Diagnosis Code | Diagnosis Description | BC Priority Level | Wait Time Target In Weeks |
|---|-------------------|---|-------------------|---------------------------|
| Pelvic Pain | 50RZDE | Chronic pelvic/vulvar/vaginal pain | 5 | 26 |
| | 50RZDF | Pelvic pain (requiring regular use of narcotics and/or frequent visits to ER and/or frequent hospital admissions) | 3 | 6 |
| Pregnancy Related | 50RMJA | Undesired/abnormal pregnancy | 1 | 2 |
| | 50RMLA | Missed abortion for evacuation | 1 | 2 |
| | 50RMLB | Booked caesarean section | NA | 52 |
| Urinary incontinence | 50PMBF | Urinary incontinence - severe | 3 | 6 |
| | 50PMBG | Urinary incontinence - moderate | 4 | 12 |
| | 50PMBH | Urinary incontinence - mild | 5 | 26 |
| Vulvar Disease | 50RWBD | Extensive chondyloma vulva, vagina (marked interference with lifestyle) | 4 | 12 |
| | 50RWBE | Vulva lesion - benign | 5 | 26 |
| | 50RWBF | Vulvar hypertrophy | 5 | 26 |
| | 50RWCA | Cancer vulva | 1 | 2 |
| | 50RWCB | Cancer vulva, wide local excision only | 2 | 4 |
| | 50RWCE | Bartholin cyst - symptomatic | 4 | 12 |
| | 50RWCF | Carcinoma in situ vulva/vagina | 3 | 6 |
| Other * (provide unique diagnosis in free text description) | 50ZZZA | Obst/Gynecology other P1 | 1 | 2 |
| | 50ZZZB | Obst/Gynecology other P2 | 2 | 4 |
| | 50ZZZC | Obst/Gynecology other P3 | 3 | 6 |
| | 50ZZZD | Obst/Gynecology other P4 | 4 | 12 |
| | 50ZZZE | Obst/Gynecology other P5 | 5 | 26 |

*Other category requires a free text description of the unique condition or diagnosis, including the procedure code used on the OR booking form. These free text descriptions will be reviewed and used to identify the need for creation of new codes.

BC Patient Condition and Diagnosis Descriptions

Gynecology - Pediatric (Under 17 years on the date of decision)

| Diagnosis Description | BC Diagnosis Code | PCAT Code | Patient Condition & Diagnosis Description | Priority Level | Wait Time Target in Days | Wait Time Target in Weeks ** |
|--|-------------------------|--------------|---|-------------------|--------------------------------|------------------------------------|
| Adolescent Pregnancies | 52RMAD | 4288 | Incomplete Abortion - Hemodynamically Stable | IIa | 7 | 1 |
| | 52RMAB | 3289 | Missed Abortion - Hemodynamically Stable | IIa | 7 | 1 |
| | 52RMAC | 3290 | Molar Pregnancy | IIa | 7 | 1 |
| Genital Trauma | 52RSAA | 3293 | Foreign Body (Vaginal) | IIa | 7 | 1 |
| Gynaecological Congenital Anomalies | 52RZFA | 4333 | Cloacal Anomalies | V | 180 | 26 |
| | 52RZAA | 3294 | Disorders of Sexual Development | VI | 365 | 52 |
| | 52RSBA | 3295 | Hymenal Anomalies, Non-Obstructive Anomalies, Longitudinal Vaginal Septums - asymptomatic | V | 180 | 26 |
| | 52RZBA | 3296 | Mullerian Anomalies | V | 180 | 26 |
| | 52RSBB | 3297 | Obstructive Anomalies - symptomatic | IIa | 7 | 1 |
| Ovaries | 52RBBC | 4300 | Disorders of Sexual Development - Virilizing | IIb | 21 | 3 |
| | 52RBBA | 3299 | Disorders of Sexual Development - Non-Virilizing | V | 180 | 26 |
| | 52RBDA | 3302 | Ovarian Cyst (Newborns) - symptomatic | IIa | 7 | 1 |
| | 52RBDB | 3301 | Ovarian Cyst (Newborns) - asymptomatic | III | 42 | 6 |
| | 52RBDD | 3304 | Ovarian Cyst (Non-Newborn) - symptomatic | IIb | 21 | 3 |
| | 52RBDC | 3303 | Ovarian Cyst (Non-Newborn) - asymptomatic | IV | 90 | 13 |
| | 52RBEB | 4335 | Ovarian Torsion - asynchronous, bilateral, recurrent | III | 42 | 6 |
| | 52RBEC | 4334 | Ovarian Transposition | IIa | 7 | 1 |
| Pelvic Pain | 52RZDA | 3309 | Pelvic Pain - acute (Non-Torsion) | IIa | 7 | 1 |
| | 52RZDB | 3310 | Pelvic Pain - chronic | V | 180 | 26 |
| Solid Tumours | 52RZCC | 3308 | Suspected Malignant | IIa | 7 | 1 |
| | 52RZCB | 3307 | Suspected Benign - symptomatic | IIb | 21 | 3 |
| | 52RZCA | 3306 | Suspected Benign - asymptomatic | IV | 90 | 13 |
| Uterus, Vulva, Cervix, Vagina | 52RMFG | 4336 | Congenital Uterine Anomaly (Hysteroscopy) | V | 180 | 26 |
| | 52RMDF | 4337 | Endometrial Polyps (hysteroscopy) | V | 180 | 26 |
| | 52RWAA | 3311 | Genital Warts | V | 180 | 26 |
| | 52RMDG | 4338 | Hysteroscopy for Diagnosis or Surveillance | V | 180 | 26 |
| | 52RWFA | 3316 | Labial Agglutination | IV | 90 | 13 |
| | 52RWBA | 3317 | Labial Revision | VI | 365 | 52 |
| | 52RWCE | 4318 | Marsupialization Bartholin's Abscess | IIa | 7 | 1 |
| | 52RZEC | 3315 | EUA - symptomatic | IIa | 7 | 1 |

| | | | | | | |
|--|--------|------|---|-----|-----|----|
| | 52RZEA | 3314 | EUA - asymptomatic | V | 180 | 26 |
| | 52RZEB | 3313 | EUA or Vaginoscopy for Infection | IIb | 21 | 3 |
| | 52RSBC | 4377 | Vaginal Stenosis Requiring Vaginal Dilation | V | 180 | 26 |
| | 52RWEA | 3319 | Vulvar Cysts | V | 180 | 26 |
| Miscellaneous | 52RMDA | 3298 | Insertion/Removal IUD | IV | 90 | 13 |
| Other * *Other category requires a free text description of the unique condition or diagnosis, including the procedure code used on the OR booking form. These free text descriptions will be reviewed and used to identify the need for creation of new codes. | 52RZB | A023 | Ped Gynaecology Other - IIa | IIa | 7 | 1 |
| | 52RZC | A024 | Ped Gynaecology Other - IIb | IIb | 21 | 3 |
| | 52RZD | A025 | Ped Gynaecology Other - III | III | 42 | 6 |
| | 52RZE | A026 | Ped Gynaecology Other - IV | IV | 90 | 13 |
| | 52RZF | A027 | Ped Gynaecology Other - V | V | 180 | 26 |
| | 52RZG | A028 | Ped Gynaecology Other - VI | VI | 365 | 52 |
| | 52RZI | C023 | Ped Gynaecology Other CANCER - IIa | IIa | 7 | 1 |
| | 52RZK | C025 | Ped Gynaecology Other CANCER - III | III | 42 | 6 |
| | 52RZL | C024 | Ped Gynaecology Other CANCER - IIb | IIb | 21 | 3 |
| | 52RZM | C026 | Ped Gynaecology Other CANCER - IV | IV | 90 | 13 |
| | 52RZN | C027 | Ped Gynaecology Other CANCER - V | V | 180 | 26 |
| | 52RZO | C028 | Ped Gynaecology Other CANCER - VI | VI | 365 | 52 |

** Wait time Target in Weeks has been rounded to the nearest integer