

HIV - POSTPARTUM Orders for Woman who is KNOWN HIV POSITIVE

(Page 1 of 1)

DATE ____/____/____ TIME _____
 DD MM YYYY

WEIGHT: _____ KG HEIGHT _____ CM

ALLERGY CAUTION sheet reviewed

Reminders

- ▶ Refer to: HIV - Infant of Mother who is Known HIV Positive order set
- ▶ If woman is part of a research study follow study protocol

Patient Care

- ▶ **Breastfeeding is contraindicated if known HIV positive**
- ▶ **Avoid use of ergots (ergonovine maleate) in management of postpartum hemorrhage, if possible**
- ▶ **At delivery: send cord gases and collect maternal and cord blood samples for research if enrolled in research study**
- ▶ **Send placenta to pathology and flag if in research study**

Medications

- ▶ **Discontinue intravenous zidovudine after delivery**
- ▶ **Resume antenatal antiretroviral therapy as ordered below**
- ▶ Refer to prenatal records, woman's own supply or call Oak Tree Clinic (604-875-2250) for medication list
- _____
- _____
- _____
- _____
- ▶ **If woman received single-dose nevirapine in labour initiate**
- Combivir (zidovudine and lamivudine) 1 tablet PO BID for 7 days
- ▶ **Offer treatment for lactation suppression within first 24 to 48 hours after delivery**
- cabergoline 1 mg PO once
 - ▶ Confirm documentation of informed consent in antenatal chart. Formal consent is not required
 - ▶ Contraindicated if ergot hypersensitivity, hypertensive or using antihypertensives, pulmonary or cardiac fibrotic disorder, cardiac valvulopathy

Consults

- Oak Tree Clinic 604-875-2250 (leave message after hours)

Signature: _____ Print Name: _____

College ID: _____ Pager: _____